

## PAPILIO DEMOLEUS.



## PAPILIO NIREUS.



### CHARACTER GENERICUS.

*Antennæ* apicem versus crassiores, sæpius clavato-capitatæ.

*Alæ* (sedentis) erectæ sursumque conniventes, (volatu diurno.)

*Lin. Syst. Nat.* p. 744.

### CHARACTER SPECIFICUS, &c.

PAPILIO DEMOLEUS. P. alis nigris flavo maculatis; posterioribus ocello cœrulco rufoque.

*Lin. Syst. Nat. Gmel.* p. 2246.

*Eg. Archiv.*

P. alis dentatis fuscis, maculis fasciaque maculosa flavis, posticis ocellis binis.

*Lin. Syst. Nat.* p. 753.

---

PAPILIO NIREUS. P. alis nigris; fascia inaurato viridi, subtus nigricantibus.

*Lin. Syst. Nat.* p. 753.

---

Inter lautissimos Papiliones exoticos numerantur Nireus & Demoleus, quos ambos nutriunt India insulæque marium Indicarum.







S  
London Published August 1<sup>st</sup> 1800 by J. B. Vodder Newman Street.

## DEMOLEUS & NIREUS.



### GENERIC CHARACTER.

*Antennæ* commonly thickening towards the end into a clavated tip.

*Wings* (when at rest) meeting upwards. (Flight diurnal.)

### SPECIFIC CHARACTER, &c.

**DEMOLEUS.** Black Butterfly spotted with yellow, with the lower wings marked by a red-and-blue ocellated spot.

*Seb. mus.* 4. t. 37. f. 17. 18. & 44. f. 6. 9.

*Kleemann ins.* 1. t. 1. f. 2. 3.

*Cram. pap.* 20. t. 231. f. A. B.

---

**NIREUS.** Black Butterfly, with a lucid blue-green band across the wings.

*Clerk. ic.* t. 30. f. 1.

*Seb. mus.* 4. t. 6. & 9. f. 21. 22.

*Drury ins.* 2. t. 4. f. 1. 2.

---

The two species figured on the present plate may justly be numbered among the most beautiful of the exotic Butterflies. Both are natives of India and the Indian islands.